







Notes/Instructions:

REV	REV DATE	DESCRIPTION	APPROVAL
A	2019-06-03	RELEASE	



UNIT TYPE: BASIC
 ORIENTATION: VERTICAL, HALF
 OUTLET QTY&TYPE: (24) C13
 INPUT VOLTAGE: 200-240VAC
 INPUT CURRENT: 32A
 BREAKER QTY&TYPE: (2) 16AMP, SINGLE-POLE,5KA
 INPUT PHASE: SINGLE-PHASE
 RATED POWER: 7.4kVA
 INPUT PLUG: IEC 60309 2P+E 6H 32A
 INPUT POWER CORD: 3m [10'], TOP FEED
 REGULATORY STANDARD: RoHS COMPLIANT

Notes:
 This drawing and its pecifications are the property of ENCONNEX and shall not be copied, reproduced, or used in whole or in part, as the basis for the manufacture or sale of items without written permission from ENCONNEX. This drawing is based upon the latest available information and is subject to change without notice.

TOLERANCES LINEAR (mm) X = ±1 XX = ±0.5 XXX = ±0.30 XXXX = ±0.130 ANGULAR X = 1° XX = 0.5° XXX = 0.25°	MATERIAL:	4670 AIRCENTER CIRCLE, RENO, NV 89502	PART NUMBER: ECX-BV1224000-P
	DESCRIPTION:		BASIC SERIES PDU
DEBUR AND BREAK SHARP EDGES/CORNERS AT 0.2mm MAX	DRAWN BY: Hanson Xu APPROVED BY:	ORG DATE: 2019-06-03 REV DATE: 2019-06-03	
UNITS: mm [in] INTERPRET TO ASME Y14.100	SIZE: A2 SCALE: 1: 1	SHEET: 1/1	REV: A

5

4


3

2

1



Notes/Instructions:

REV	REV DATE	DESCRIPTION	APPROVAL
A	2019-06-03	RELEASE	



Notes:

This drawing and its specifications are the property of ENCONNEX and shall not be copied, reproduced, or used in whole or in part, as the basis for the manufacture or sale of items without written permission from ENCONNEX. This drawing is based upon the latest available information and is subject to change without notice.

TOLERANCES LINEAR (mm) X = ± 1 X.X = ± 0.5 X.XX = ± 0.30 X.XXX = ± 0.130 ANGULAR X = 1° .X = 0.5° .XX = 0.25°	MATERIAL:	 4670 AIRCENTER CIRCLE, RENO, NV 89502	PART NUMBER: ECX-BV1224000-P
	DESCRIPTION:		DESCRIPTION: Wiring Scheme
	DEBUR AND BREAK SHARP EDGES/CORNERS AT 0.2mm MAX	DRAWN BY: Zhang Jing APPROVED BY:	ORG DATE: 2019-06-03 REV DATE: 2019-06-03
UNITS: mm [in]	INTERPRET TO ASME Y14.100	SIZE: A SCALE: 1 : 1	SHEET: 1/1 REV: A

5

4

3

2

1